

2007.2981





noits a leita S ruo Y o T bettimmo J"

Palmer

3190 Fairview Park Dr | Falls Church, VA | 703.533.7500

PROPERTY ADDRESS: 2515 PALMER PLACE SE, WASHINGTON, DC 20020

KEVISION HISTORY: (REV.1 7/17/2020)

FIELD WORK DATE: 7/16/2020

6499 :3AUDS



Scale: 1"=20' July 16, 2020 Liber: 84 Folio: 22 Square: 5579 Lot: 51 **LOCATION SURVEY**



16' PUBLIC ALLEY 35.0 **MEST** DRIVE CRAVEL 25 임 9197# **BWA9**3 STORY **RIGHT LEFT** ひルーレ -/+,2.9

improvements or for permit applications. (No title report furnished) property line survey and should not be used for the erection of fences or any other lines and that, unless otherwise shown, there are no visible encroachments. This is not a above described property has been carefully established in relation to the apparent title Certification: I hereby certify that the position of the significant visible improvements on the

GRADEN A. ROGERS - Licensed Surveyor, DC License No 900374

DATE: 07/17/20

POINTS OF INTEREST:

CLIENT NUMBER: FC20-DC-332

NONE AISIBLE



CERTIFIED TO:

SELLER: US BANK NATIONAL ASSCOATION

BUYER: BIANCA D. LARIOS RONY SEJAS

BIANCA D. LARIOS RONY SEJAS; REALTY TITLE SERVICES, INC.

I CERTIFY THAT THE SURVEY SHOWN HEREON WAS MADE BY ME OR

6191.25.1916 Contact us at:

2882.44.2882 NATIONAL INFORMATION TECHNOLOGY

THIS IS A TWO PAGE DOCUMENT. THE ADVICE FOUND ON THE AFFIXED PAGE (PAGE 2 OF 2) IS AN INTEGRAL PART OF THE PLAT.

LEGAL DESCRIPTION:

LOT NUMBERED 0051 SQUARE 5579, IN THE SUBDIVISION KNOWN AS HILLCREST OF THE PUBLIC RECORDS OF WASHINGTON, DC.

JOB SPECIFIC SURVEYOR NOTES:

GENERAL SURVEYOR NOTES:

- THIS PLAT IS BENEFIT TO THE CUSTOMER INSOFAR AS IT IS REQUIRED BY A LENDER OF A TITLE INSURANCE COMPANY OR ITS AGENT IN CONNECTION WITH CONTEMPLATED TRANSFER, FINANCING, OR RE-FINANCING.
- THIS PLAT IS NOT TO BE RELIED UPON FOR THE ESTABLISHMENT OR LOCATION OF FENCES, GARAGES, BUILDINGS, OR OTHER EXISTING OR FUTURE IMPROVEMENTS.
- THIS PLAT DOES NOT PROVIDE FOR THE ACCURATE IDENTIFICATION OF PROPERTY LINES, BUT SUCH IDENTIFICATION MAY NOT BE REQUIRED FOR THE TRANSFER OF TITLE OR SECURING FINANCING OR RE-FINANCING.
- 4. NO TITLE REPORT FURNISHED.
- PROPERTY LINE SURVEY RECOMMENDED TO DETERMINE THE EXACT LOCATION OF IMPROVEMENTS AND/OR ENCROACHMENTS, IF ANY.
- 6. PROPERTY SUBJECT TO ANY/ALL RIGHTS OF WAY, EASEMENTS, AND/OR COVENANTS OF RECORD AND/OR IMPOSED BY LAW.

WASHINGTON, D.C. ONLY:

7. NOT TO BE USED FOR THE ISSUANCE OF PERMITS.

FOR ALL SURVEYS:

8. THIS ENTIRE SERVICE WAS PERFORMED SOLELY BY LANDTECH ASSOCIATES, INC.. MARYLAND BUSINESS LICENSED SURVEYOR NUMBER 124, LOCATED AT 10260 OLD COLUMBIA ROAD SUITE J, COLUMBIA, MARYLAND 21046, WHOSE PHONE NUMBER IS 410-290-8099. OCCASIONALLY, EXACTA MARYLAND SURVEYORS, INC. WILL HIRE LICENSED AND INSURED SURVEYORS TO PERFORM SERVICES ON THEIR BEHALF. IN THIS CASE, LANDTECH ASSOCIATES, INC. PERFORMED THIS SERVICE COMPLETELY INDEPENDENT FROM EXACTA MARYLAND SURVEYORS, INC. LANDTECH ASSOCIATES, INC. CARRIES ERRORS AND OMISSIONS INSURANCE AND ACCEPTS FULL RESPONSIBILITY FOR THE SERVICES PERFORMED.

LEGEND:

LEGEND

OH- OVERHANG

G- GATE

RET-- RETAINING

FSMT-**EASEMENT**

R/W-RIGHT OF WAY RAD **RADIUS**

CHD - CORD

COV'D -COVERED

B.R.L. — **BUILDING RESTRICTION LINE**

ADD'N. -ADDITION

TYP -**TYPICAL**

COMPUTED

CONC.— CONCRETE **RECORD** REC -

MST-**MEASURED**

OBS **OBSERVED**

SF AREA IN SQUARE

FEET

PF -PIPE FOUND

IBF -- IRON BAR FOUND

NF-**NAIL FOUND**

MONUMENT FOUND SF · STONE FOUND

CAP CAPPED PIPE

IBS-IRON BAR SET

PK SET **PKS**

POL. POINT ON LINE

RET-RETAINING

CONCRETE CONC

OH-- OVERHANG

G GATE

R/W RIGHT-OF-WAY

FENCES

-CHAIN LINK -wood -PLASTIC -IRON/WIRE

ELECTRONIC SIGNATURE:

In order to "Electronically Sign" all of the PDFs sent by STARS, you must use a hash calculator. A free online hash calculator is available at

ttp://www.fileformat.info/tool/md5sum.htm To Electronically Sign any survey PDF:

- 1. Save the PDF onto your computer.
- 2. Use the online tool at

http://www.fileformat.info/tool/md5sum.htm

to browse for the saved PDF on your computer.

- 3. Select the Hash Method as SHA.
- 4. Click Submit.

Your PDF is electronically signed if all of the characters in the SHA-1 code submitted by STARS matches the code which is produced by the hash calculator. If they match exactly, your PDF is electronically signed. If the codes do not match exactly, your PDF is not authentic.

PRINTING INSTRUCTIONS:

While viewing the survey in Adobe Reader, select the "Print" button under the "File" tab.

Select a color printer with legal sized paper.

Under "Print Range", click select the "All" toggle.

Under the "Page Handling" section, select the number of copies that you would like to print.

Under the "Page Scaling" selection drop down menu, select "None."

Uncheck the "Auto Rotate and Center" checkbox.

Check the "Choose Paper size by PDF" checkbox. Click OK to print.

POWERED BY



www.surveystars.com

